

15. 2006年度・2007年度 業績集

1. 原 著 (英文)

1. Ohba I, **Otsuji Y**, Shiki K, Hamasaki S, Minagoe S, Tei C.
Different effects of propranolol, phenylephrine, and saline volume loading on catecholamine-induced left ventricular outflow tract obstruction in acute coronary syndrome.
Int Heart J. 2006; 47: 287-95.
2. Kuwahara E, **Otsuji Y**, Takasaki K, Yuasa T, Kumanohoso T, Nakashima H, Toyonaga T, Yoshifuku S, Miyata M, Hamasaki S, Lee S, Kisanuki A, Minagoe S, Tei C.
Increased Tei index suggests absence of adequate coronary reperfusion in patients with first Anteroseptal acute myocardial infarction.
Circ J. 2006; 70: 248-53.
3. Ueno T, Sakata R, Iguro Y, Nagata T, **Otsuji Y**, Tei C.
New surgical approach to reduce tethering in ischemic mitral regurgitation by relocation of separate heads of the posterior papillary muscle.
Ann Thorac Surg. 2006; 81: 2324-5.
4. Eto H, Miyata M, Kume M, Minami M, Itabe H, Orihara K, Hamasaki S, Biro S, **Otsuji Y**, Kita T, Tei C.
Expression of lectin-like oxidized LDL receptor-1 (LOX-1) in smooth muscle cells after vascular injury.
Biochem Biophys Res Commun. 2006; 341: 591-8.
5. Akasaki Y, Miyata M, Eto H, Shirasawa T, Hamada N, Ikeda Y, Biro S, **Otsuji Y**, Tei C.
Repeated thermal therapy up-regulates endothelial nitric oxide synthase and augments angiogenesis in a mouse of hindlimb ischemia.
Circ J. 2006; 70: 463-470.
6. Kuwahara E, **Otsuji Y**, Iguro Y, Ueno T, Zhu F, Mizukami N, Kubota K, Nakashiki K, Yuasa T, Yu B, Uemura T, Takasaki K, Miyata M, Hamasaki S, Kisanuki A, Levine RA, Sakata R, Tei C.
Mechanism of recurrent/persistent ischemic/functional mitral regurgitation in the chronic phase following surgical annuloplasty: importance of augmented posterior leaflet tethering.
Circulation. 2006; 114 (Suppl 1) : I-529-I-534.

-
7. Saihara K, Hamasaki S, Okui H, Biro S, Ishida S, Yoshikawa A, Kataoka T, Ninomiya Y, Mizoguchi E, Ichiki T, **Otsuji Y**, Tei C.
Association of coronary shear stress with endothelial function and vascular remodeling in patients with normal or mildly diseased coronary arteries.
Coron Artery Dis. 2006; 17: 401-7.
 8. Ninomiya Y, Hamasaki S, Ishida S, Kataoka T, Saihara K, Okui H, Orihara K, Fukudome T, Shinsato T, Ichiki T, Mizoguchi E, **Otsuji Y**, Tei C.
Elevated levels of brain natriuretic peptide as a predictor of impaired coronary endothelial function in patients with left ventricular remodeling.
J Cardiol. 2006; 48: 125-32.
 9. Nakashiki K, Kisanuki A, **Otsuji Y**, Yoshifuku S, Yuasa T, Takasaki K, Kuwahara E, Yu B, Uemura T, Mizukami N, Hamasaki S, Minagoe S, Tei C.
Usefulness of a novel ultrasound transducer for continuous monitoring treadmill exercise echocardiography to assess coronary artery disease.
Circ J. 2006; 70: 1297-302.
 10. Ichiki H, Oketani N, Hamasaki S, Ishida S, Kataoka T, Ogawa M, Saihara K, Okui H, Fukudome T, Shinasato T, Kubozono T, Ninomiya Y, Matsushita T, **Otsuji Y**, Tei C.
Effect of right ventricular apex pacing on the Tei index and brain natriuretic Peptide in patients with a dual-chamber pacemaker.
Pacing Clin Electrophysiol. 2006; 29: 985-90.
 11. Saihara K, Hamasaki S, **Otsuji Y**, Yoshitama T, Ishida S, Kataoka T, Okui H, Tei C.
Cibenzoline attenuates coronary systolic reversal flow in a patient with hypertrophic obstructive cardiomyopathy: a case report.
J Cardiol. 2006; 48: 209-213.
 12. **Yamanaka A, Tasaki H, Suzuki Y, Tanaka S, Yamashita K, Tamura M, Abe H, Otsuji Y.**
Bosentan improved syncope in a hemodialysis patient with pulmonary hypertension and mild aortic stenosis.
Int Heart J. 2006; 47: 911-7.
 13. Mizukami N, Minagoe S, **Otsuji Y**, Neishi Y, Akasaka T, Hamasaki S, Yuasa T, Miyata M, Maruyama S, Yoshida K, Sakata R, Tei C.
Noninvasive quantitative evaluation of the patency of internal mammary artery grafts to the left anterior descending coronary artery by transthoracic Doppler echocardiography.
J Cardiol. 2006; 48: 305-14.

-
14. **Matsuo H, Tamura M, Kabashima N, Serino R, Tokunaga M, Shibata T, Matsumoto M, Aijima M, Oikawa S**, Anai H, Nakashima Y.
Prednisolone inhibits hyperosmolarity-induced expression of MCP-1 via NF- κ B in peritoneal mesothelial cells.
Kidney Int, 2006; 69: 736-746.
 15. Soeda S, Terao T, Iwata N, **Abe H**, Uchida K, Nakamura J.
Mental effect of cholesterol in males : Protective effect ?
J Affect Disord. 2006; 91 (2-3) :139-144.
 16. Okishige K, Fukunami M, Kumagai K, Atarashi H, Inoue H, Sakurai M.
Okumura K, Ikeda K, **Abe H**.
Pharmacological conversion of persistent atrial fibrillation into sinus rhythm with oral pilsicainide -Pilsicainide suppression trial for persistent atrial fibrillation II.
Circ J. 2006; 70 : 657-661.
 17. Benditt DG, Wieling W, **Abe H**, Alboni P, Andersen D, Axelrod FB, Bennaroch E.
The ACCF/AHA scientific statement on syncope. A document in need of thoughtful revision.
Europace. 2006; 8:1017-1021.
 18. Benditt DG, Olshansky B, Wieling W, **Abe H**, Alboni P, Andersen D.
The ACCF/AHA scientific statement on syncope need rethinking.
J Am Coll Cardiol. 2006; 48 : 2598-2599.
 19. Benditt DG, Wieling W, **Abe H**, Alboni P, Andersen D, Axelrod FB.
The ACCF/AHA scientific statement on syncope. A document in need of thoughtful revision.
Clin Auton Res. 2006; 16 : 363-368.
 20. Kawano M, Takenaka T, **Otsuji Y**, Teraguchi H, Yoshifuku S, Yuasa T, Yu B, Miyata M, Hamasaki S, Minagoe S, Kanmura Y, Tei C.
Significance of asymmetric basal posterior wall thinning in patients with cardiac Fabry's disease.
Am J Cardiol. 2007; 99: 261-3.
 21. Mizoguchi E, Orihara K, Hamasaki S, Ishida S, Kataoka T, Ogawa M, Saihara K, Okui H, Fukudome T, Shinsato T, Shirasawa T, Ichiki H, Kubozono T, Ninomiya Y, **Otsuji Y**, Tei C.
Association between Toll-like receptors and the extent and severity of coronary artery disease in patients with stable angina.
Coron Artery Dis. 2007; 18: 31-8.

-
22. Kubozono T, Miyata M, Ueyama K, Nagaki A, **Otsuji Y**, Kusano K, Kubozono O, Tei C.
Clinical significance and reproducibility of new arterial distensibility index.
Circ J. 2007; 71: 89-94.
23. **Koide S, Okazaki M, Tamura M, Ozumi K, Takatsu H, Kamezaki F**, Tanimoto A, **Tasaki H**, Sasaguri Y, Nakashima Y, **Otsuji Y**.
PTEN reduces cuff-induced neointima formation and proinflammatory cytokines.
Am J Physiol Heart Circ Physiol. 2007; 292: H2824-31.
24. **Igarashi T**, Izumi H, Uchiumi T, Nishio K, Arao T, Tanabe M, Uramoto H, Sugio K, Yasumoto K, Sasaguri Y, Wang KY, **Otsuji Y**, Kohno K.
Clock and ATF4 transcription system regulates drug resistance in human cancer cell lines.
Oncogene. 2007;26:4749-60.
25. **Murasato Y, Horiuchi M, Otsuji Y**.
Three-dimensional modeling of double-stent techniques at the left main coronary artery bifurcation using micro-focus X-ray computed tomography.
Catheter Cardiovasc Interv. 2007; 70: 211-20.
26. Kisanuki A, Daitoku S, Kihara T, **Otsuji Y**, Tei C.
Thermal therapy improves left ventricular diastolic function in patients with congestive heart failure: a tissue Doppler echocardiographic study.
J Cardiol. 2007; 49: 187-91.
27. **Kamezaki F, Tasaki H, Yamashita K, Shibata K, Hirakawa N**, Tsutsui M, **Kouzuma R, Nagatomo T**, Adachi T, **Otsuji Y**.
Angiotensin receptor blocker improves coronary flow velocity reserve in hypertensive patients: comparison with calcium channel blocker.
Hypertens Res. 2007; 30: 699-706.
28. **Kohno R, Abe H, Oginosawa Y, Nagatomo T, Otsuji Y**.
Effects of atrial tachypacing on symptoms and blood pressure in severe orthostatic hypotension.
Pacing Clin Electrophysiol. 2007; 30 Suppl 1: S203-6.
29. Tao K, Sakata R, Iguro Y, Ueno M, Tanaka Y, **Otsuji Y**, Tei C.
Impact of valve prosthesis-patient mismatch on intermediate-term outcome and regression of left ventricular mass following aortic valve replacement with mechanical prosthesis.
J Card Surg. 2007; 22: 486-492.

-
30. Takumi T, Lee S, Hamasaki S, Toyonaga K, Kanda D, Kusumoto K, Toda H, Takenaka T, Miyata M, Anan R, **Otsuji Y**, Tei C.
Limitation of angiography to identify the culprit plaque in acute myocardial infarction with coronary total occlusion utility of coronary plaque temperature measurement to identify the culprit plaque.
J Am Coll Cardiol. 2007; 50: 2197-203.
31. **Murasato Y, Tsurugi T, Hiroshige K, Kamezaki F**, Suzuka H, **Kawakami K**, Suzuki Y.
Percutaneous stenting of bilateral central venous occlusions in a hemodialysis patient.
Heart Vessels. 2007; 22: 193-198.
32. **Nakata S**, Tsutsui M, Shimokawa H, Yamashita T, Tanimoto A, **Tasaki H, Ozumi K**, Sabanai K, **Morishita T, Suda O**, Hirano H, Sasaguri Y, Nakashima Y, Yanagihara N.
Statin treatment upregulates vascular neuronal nitric oxide synthase through Akt/NF-kappaB pathway.
Arterioscler Thromb Vasc Biol. 2007; 27 : 92-98.
33. Niina I, Uchiumi T, Izumi H, Torigoe T, Wakasugi T, **Igarashi T**, Miyamoto N, Onitsuka T, Shiota M, Okayasu R, Chijiwa K, Kohno K.
DNA topoisomerase inhibitor, etoposide, enhances GC-box-dependent promoter activity via Sp1 phosphorylation.
Cancer Sci. 2007; 98 : 858-863.
34. Tanimoto A, Wang KY, Murata Y, Kimura S, Nomaguchi M, **Nakata S**, Tsutsui M, Sasaguri Y.
Histamine upregulates the expression of inducible nitric oxidesynthase in human intimal smooth muscle cells via histamine H1 receptor and NF-kappaB signaling pathway.
Arterioscler Thromb Vasc Biol. 2007; 27 : 1556-1561.
35. **Takemasa H, Nagatomo T, Abe H, Kawakami K, Igarashi T, Tsurugi T, Kabashima N, Tamura M, Okazaki M**, Delisle BP, January CT, **Otsuji Y**.
Coexistence of hERG current block and disruption of protein trafficking in ketoconazole-induced long QT syndrome.
Br J Pharmacol. 2008 ; 153 : 439-47.
36. **Kamezaki F, Tasaki H, Yamashita K**, Tsutsui M, **Koide S, Nakata S**, Tanimoto A, **Okazaki M**, Sasaguri Y, Adachi T, **Otsuji Y**.
Gene transfer of extracellular superoxide dismutase ameliorates pulmonary hypertension in rats.
Am J Respir Crit Care Med. 2008; 177: 219-226.

37. **Takeuchi M**, Lang RM.

Reduced and delayed untwisting of the left ventricle in patients with hypertension and left ventricular hypertrophy: a study using two-dimensional speckle tracking imaging: Reply.
Eur Heart J. 2008; 29: 825-826.

38. **Nakata S**, Tsutsui M, Shimokawa H, **Suda O**, **Morishita T**, **Shibata K**, **Yatera Y**, Sabanai K, Tanimoto A, Nagasaki M, **Tasaki H**, Sasaguri Y, Nakashima Y, **Otsuji Y**, Yanagihara N.

Spontaneous myocardial infarction in mice lacking all nitric oxide synthase isoforms.
Circulation. 2008; 117 : 2211-2223

39. **Kamezaki F**, **Yamashita K**, **Tasaki H**, Kume N, Mitsuoka H, Kita T, Adachi T, **Otsuji Y**.

Serum soluble lectin-like oxidized low-density lipoprotein receptor-1 correlates with oxidative stress markers in stable coronary artery disease. Int J Cardiol. 2008 (in press)

40. **Tsurugi T**, **Abe H**, **Oginosawa Y**, **Kohno R**, **Yasumasu T**, **Nagatomo T**, **Otsuji Y**.

Effects of pacing modes on cardiac baroreflex function in permanently paced patients with sinus node dysfunction.

J Cardiovasc Electrophysiol. 2008 (in press)

41. Shimada Y, Courtney BK, Nakamura M, Hongo Y, **Sonoda S**, Fitzgerald PJ, et al.
Intravascular ultrasonic analysis of atherosclerotic vessel remodeling and plaquedistribution of stenotic left anterior descending coronary arterial bifurcation lesions upstream and downstream of the side branch.
Am J Cardiol. 2006; 98: 193-196.

42. Tsuchiya Y, Lansky AJ, Costa RA, Mehran R, Pietras C, Shimada Y, **Sonoda S**, Fitzgerald PJ, Gruge E, et al.
Effect ofb everolimus-eluting stents in different vessel sizes(from the Pooled FUTURE I and II trials).
Am J Cardiol. 2006; 98: 464-469.

2. 原 著 (和文)

1. Minagoe S, Mizukami N, **Otsuji Y**, Hamasaki S, Tei C.
Evaluation of coronary artery Doppler by transthoracic approach.
J Cardiol. 2006; 47: 323-6.
2. Yuasa T, **Otsuji Y**, Takasaki K, Kisanuki A, Sakata R, Tei C.
Severe aortic regurgitation with mild ascending aortic dilatation.
J Cardiol. 2006; 48: 171-3.
3. 植村 健, 阿南隆一郎, 木佐貫彰, **尾辻 豊**, 鄭 忠和.
目で見る内科疾患.
鹿児島県医師会報 2006; 92-94.
4. **河野律子**, **安部治彦**, **荻ノ沢泰司**, **長友敏寿**.
難治性重症起立性低血圧に対する心房高頻度ペーシングの効果.
心臓 2006; 38 : 7-9.

-
5. **河野律子, 安部治彦, 萩ノ沢泰司, 長友敏寿.**
難治性重症起立性低血圧に対する心房高頻度ペーシングの慢性効果.
Therapeutic Research 2006; 27: 419- 422.
 6. **河野律子, 安部治彦.**
心室ペーシング部位の違いによる血行動態の検討.
Therapeutic Research 2006; 27 : 1792-1794.
 7. **河野律子, 安部治彦, 萩ノ沢泰司, 長友敏寿, 尾辻 豊.**
神経調節性失神患者に対する起立調節訓練の治療継続性と失神再発に関する検討.
心電図 2006; 26 : 819-824.
 8. **山下和仁, 岡松恭子, 太崎博美, 安部治彦, 河野律子, 尾辻 豊.**
経胸壁および経食道心エコー法が有用であったペースメーカー植え込み術後早期のリード関連感染性心内膜炎.
超音波医学 2007; 34: 599-601.
 9. **筒井正人, 下川宏明, 守下 敢, 中田 靖, 佐羽内 研, 中島康秀, 柳原延章.**
NO 合成酵素完全欠損マウスの開発.
Yakugaku Zasshi 2007; 127 : 1347-1355.
 10. **松本美香, 芹野良太, 及川 秀, 柴田達哉, 椎島成利, 徳永昌樹, 田村雅仁.**
脳髄黄色腫に微小変化型ネフローゼ症候群を合併した1例.
日本内科学会誌 2007; 96 : 150-152.
 11. **河野律子, 安部治彦, 黒田智寛, 長友敏寿, 尾辻 豊.**
正常洞機能を有する房室ブロック患者での無症候性心房細動の発生頻度に関する検討.
Therapeutic Research 2007 ; 28 : 576-577.
 12. **河野律子, 安部治彦, 黒田智寛, 長友敏寿, 尾辻 豊.**
ペーシングモードならびに心室ペーシング部位の違いによる血行動態の比較検討
心臓 2007 ; 39: (Sup2) 3-5
 13. **尾方純一, 瀬川賀世子, 南 浩一郎.**
塩酸コルホルシンダロパートの循環, 腎機能, 細胞増殖に対する作用.
麻酔 2007 ; 56 : 896-910.
 14. **河野律子, 安部治彦, 尾辻 豊.**
房室ブロック患者における無症候性心房細動の発生頻度に関する検討.
Therapeutic Research. 2007; 28 : 1967-1969.

-
15. 井上 博, 相澤義房, **安部治彦**, 古賀義則, 小林洋一, 住友直方, 高瀬凡平, 鄭 忠和, 中里祐二, 中野 昶, 西崎光弘, 堀 進吾, 松崎 益徳.
「失神の診断・治療ガイドライン」循環器病の診断と治療に関するガイドライン.
(2005-2006年度合同研究班報告)
Circ J 2007; 71 IV: 1049-1114.
16. 永田夏織, 木原康之, **江口良司**, 中村早人, 芳川一郎, 大槻 眞.
酢酸オクトレオチドにより膣炎が増悪した1例.
日本消化器病学会雑誌 2007; 104 : 1652-1637.

| | | |
|---|--------|---|
| ◇ | 3. 著 書 | ◇ |
| ◇ | | ◇ |

1. **尾辻 豊**, 鄭 忠和.
E. 動悸で受診 78歳, 男性, 心房細動あり, 心雑音なし 心エコー図の読み方.
2006 ; 165-169.
2. **尾辻 豊**, 鄭 忠和.
虚血性僧帽弁逆流 臨床心臓病学.
文光堂, 2006 ; 276-277.
3. **尾辻 豊**, 鄭 忠和, 坂田隆造.
リウマチ性および非リウマチ性僧帽弁閉鎖不全症.
エキスパートを目指す循環器診療 No. 4 弁膜疾患/心筋・心膜疾患.
2006 ; 53-64.
4. **尾辻 豊**, 鄭 忠和, 坂田隆造.
機能性・虚血性僧帽弁逆流 弁膜症, 心膜疾患, 心内膜炎.
新「目で見る循環器シリーズ」2006 ; 46-55.
5. **田村雅仁**.
「腎硬化症と細胞内シグナリング」
動脈硬化 最新の基礎と臨床. 2006 ; 168.
6. **田村雅仁**, 中島康秀.
基礎編 腎機能調節におけるホルモンおよびペプチドの分子生物学,
生合成, 代謝, 作用 PDGF (platelet-derived growth factor)
分子腎臓病学 分子生物学的アプローチと分子病態生理学.
日本臨床, 2006 ; 64巻増刊2 : 293-296.

7. **河野律子, 安部治彦.**

房室ブロック：神経調節性失神.

「新・心臓病診療プラクティス」7：心電図で診る・治す（編集：清水昭彦, 笠貫 宏）
文光堂, 2006；129-131.

8. **安部治彦.**

頻脈性不整脈を治療する方法は？：ICD/PM患者に対して就業はどうする？

「新・心臓病診療プラクティス」7：心電図で診る・治す（編集：清水昭彦, 笠貫 宏）
文光堂, 東京, 2006；193-195.

9. **安部治彦.**

ペースメーカーに関する諸問題こんなときあなたならどうする.

（編者：須賀 幾, 中島 博）

大宮プロテック出版, 2006；1-52

10. **尾辻 豊.**

虚血性心疾患, 拡張型心筋症など弁の器質的疾患以外に伴う僧帽弁閉鎖不全弁膜症を解く.
僧帽弁疾患 新・心臓病プラクティス9, 2007；247-257.

11. **尾辻 豊.**

心不全(下) XXIV 心不全の原因疾患（基礎疾患）別の臨床的事項－病態.
発症機序(心不全), 治療－ 弁膜症 僧帽弁閉鎖不全.
日本臨床, 2007；507-511.

12. **尾辻 豊.**

虚血性僧帽弁閉鎖不全の病態と手術適応 心筋症を識る・診る・治す.
新・心臓病プラクティス10, 2007；218-219.

13. **尾辻 豊.**

心臓弁膜症の心エコー診断.

心臓弁膜症の外科, 第3版 2007；19-54.

14. **安部治彦.**

オーバービュー：いま, なぜ心室中隔ペーシングなのか？

心室中隔ペーシングの実際（編集：安部治彦）

メディカルレビュー社, 大阪 2007；11-15.

15. **安部治彦.**

大規模臨床試験からみた心室ペースング部位の重要性.

心室中隔ペースングの実際 (編集:安部治彦)

メデイカルレビュー社, 大阪 2007;47-54.

16. **安部治彦, 河野律子.**

心室中隔ペースングの手術手技の実際.

心室中隔ペースングの実際 (編集:安部治彦)

メデイカルレビュー社, 大阪2007;57-63.

17. **萩ノ沢泰司, 河野 律子, 安部治彦.**

手術に伴う合併症と対策.

心室中隔ペースングの実際 (編集:安部治彦)

メデイカルレビュー社, 大阪 2007:64-68.

18. **河野律子, 安部治彦.**

心室中隔ペースングの血行動態に及ぼす影響.

心室中隔ペースングの実際 (編集:安部治彦)

メデイカルレビュー社, 大阪 2007:75-83.

19. **安部治彦.**

心室ペースングと不整脈.

心室中隔ペースングの実際 (編集:安部治彦)

メデイカルレビュー社, 大阪 2007;93-97.

20. **萩ノ沢泰司, 河野律子, 安部治彦.**

ペースメーカーに関する基礎知識 (単局・双局の違いも含めて)

生体内デバイス患者と電磁干渉

監修:日本不整脈学会 編集:安部治彦・豊島健

メデイカルレビュー社, 大阪 2007;63-76.

21. **河野律子, 萩ノ沢泰司, 安部治彦.**

手術時の電磁干渉とその対策.

生体内デバイス患者と電磁干渉.

監修:日本不整脈学会 (編集:安部治彦・豊島健)

メデイカルレビュー, 大阪 2007;351-362.

22. 安部治彦.

国内におけるペースメーカー・ICD患者の就労の実際手術時の電磁干渉とその対策.
生体内デバイス患者と電磁干渉.

監修：日本不整脈学会（編集：安部治彦・豊島健）

メデイカルレビュー，大阪 2007；365-379.

23. 尾辻 豊.

乳頭筋機能不全症候群.

日本臨床 循環器症候群 IV，2008；416-419.

24. **園田信成**

IVUS ガイド DES : エンドポイント
Coronary Intervention (編集: 斉藤 顕)
メディアアルファ, 2006; 44-49.

25. **園田信成**, 本江純子.

IVUS によるフォローアップ 「薬物溶出ステント留置後の IVUS 所見」
Hands on Book IVUS マニュアル (編集: 斉藤 顕)
中山書店, 2006 ; 228-237.

26. **園田信成.**

IV その他の Drug-Eluting Stent の基礎と臨床治験成績
2 Everolimus-Eluting Stent
Drug-Eluting Stent Part 2 (監修: 山口 徹)
医学書院, 2006; 77-83.

27. **園田信成.**

薬物溶出ステント従来のステントに比べ“非心臓死”を増加させるか
-ヨーロッパ心臓病学会の報告をうけて-
医学のあゆみ 医歯薬出版株式会社, 2007;963-967.

28. **園田信成.**

ステント再狭窄の分類と予後.
PCI を究める (編集: 中村正人)
メディカルビュー社, 東京 2008 ; 55-61.

4. 総 説 (和文)

1. 尾辻 豊, 鄭 忠和.
心筋梗塞ではどのような心機能指標の計測が必要か.
心エコー 2006; 7: 446-458.
2. 尾辻 豊, 鄭 忠和, 坂田隆造.
虚血性僧帽弁閉鎖不全の機序.
呼吸と循環 2006; 54: 691-697.
3. 尾辻 豊, 鄭 忠和.
僧帽弁疾患：手術適応, 手術前に必要な情報.
循環器科 2006; 59: 591-598.
4. 尾辻 豊, 鄭 忠和, 坂田隆造.
虚血性僧帽弁閉鎖不全の評価.
心エコー 2006; 7: 748-756.
5. 山下和仁, 太崎博美.
利尿剤を併用する場合の種類と量はどのようにすればいいのか.
治療 2006; 88 : 1313-1316
6. 安部治彦, 河野律子, 長友敏寿.
神経調節性失神.
心電図 2006; 26 : 47-59

7. 河野律子, 安部治彦.

神経調節性失神に対する運動療法.
呼吸と循環2006; 54 : 869-873

8. 安部治彦.

心室中隔ペーシング.
Arrhythmia Focus 2006; 1 : 1-7.

9. 田村雅仁.

CAPD セミナー : PD first と残腎機能.
医工学治療. 2006; 18: 177.

10. 尾辻 豊, 鄭 忠和.

Tei index
心エコー 2007; 8: 12-23.

11. 尾辻 豊.

弁の診かた.
心エコー 2007; 8: 690-701.

12. 尾辻 豊.

虚血性・機能性僧帽弁逆流に対する治療.
最新医学 2007; 62: 1736-1741.

13. 尾辻 豊.

エコーからみた僧帽弁と左室のジオメトリー.
冠疾患誌 2007; 13: 160-165.

14. 尾辻 豊.

虚血性僧帽弁逆流に対する弁形成術の評価.
心臓 2007; 39: 706-709.

15. 尾辻 豊.

僧帽弁狭窄症 心エコー図診断のための Key words.
Heart View 2007; 11: 136-138.

16. 尾辻 豊.

僧帽弁逆流 心エコー図診断のための Key words.
Heart View 2007; 11: 139-141.

-
17. **尾辻 豊.**
低血圧・ショックの簡単な心エコー診断.
日本透析医会雑誌 2007; 22: 427-429.
18. **安部治彦, David Benditt, Richard Sutton.**
失神の診断・治療の現状.
Arrhythmia Focus 2007; 2 (Sup1) : 1-11.
19. **安部治彦.**
ワンポイントアドバイス。「失神発作」と「てんかん発作」の鑑別.
Arrhythmia Focus 2007; 2 (Sup1) : 12.
20. **安部治彦.**
ワンポイントアドバイス。失神の分類.
Arrhythmia Focus 2007; 2 (Sup1) : 12.
21. **安部治彦.**
ワンポイントアドバイス。神経調節性失神の非薬物治療.
Arrhythmia Focus 2007; 2 (Sup1) : 13.
22. **安部治彦.**
ワンポイントアドバイス。失神患者と自動車運転.
Arrhythmia Focus 2007; 2 (Sup1) : 14.
23. **安部治彦.**
生体内植込みデバイス治療の進歩と臨床的課題.
放射線技術学会計測分科会誌 2007; 15 : 1-6.
24. 中野雄一郎, 吉村玲児, 杉田篤子, 堀 輝, 中野英樹, **中田 靖**, 筒井正人, 柳原延章, 中村 純.
B9. 統合失調症での一酸化炭素 (NO) 動態.
九州神経精神医学 2007; 53 : 71.
25. **尾辻 豊.**
弁膜症：僧帽弁閉鎖不全症.
日本臨牀 2007; 65 (Sup5) : 507-511.
26. 庄田守男, **安部治彦**, 石川利之, 須賀 幾.
心室ペーシングの潮流.
CRM news 2007; 49: 1-3

27. **田村雅仁.**

適正腹膜透析とエビデンス・透析液と生体適合性・臨床.
臨床透析2007; 23: 1571-1579.

28. **尾辻 豊.**

低血圧・ショックの簡単な心エコー診断.
Jpn J Med Ultrasonics 2008; 35 : 3-11

29. **尾辻 豊.**

僧帽弁形成術－虚血性心筋症－
心エコー 2008; 9 : 114-121

30. **河野律子, 安部治彦.**

ペースメーカー植込み後の臨床.
Circulation Up-to-Date 2008; 3 : 41-49

31. **尾辻 豊.**

低血圧・ショックの簡単な心エコー診断.
田川医報 2008; 116: 25-27.

◇ 5. 総 説 (英文) ◇

1. Levine RA, **Otsuji Y**, Schwammenthal E, Sakata R, Tei C.

Ischemic mitral regurgitation: from new understanding to new solutions role of echocardiography.
J Echocardiogr. 2006; 4: 1-18.

2. **Abe H, Kohno R**, Sumiyoshi M, **Oginosawa Y, Takemasa H, Tsurugi T, Nagatomo T, Otsuji Y.**

Non-pharmacological management of neurocardiogenic syncope.
J Arrhythmia. 2007; 23: 21-24.

3. **Otsuji Y**, Levine RA, **Takeuchi M**, Sakata R, Tei C.

Mechanism of ischemic mitral regurgitation.
J Cardiovascular Ultrasound. 2008; 16: 1-8.

6. その他の著作

1. 筒井正人, 須田 治.

Long-term treatment with imidapril but not nifedipine enhances plasma NOx concentrations in patients with essential hypertension.

田辺製薬文献レポート 2006; 1-4.

2. 安部治彦.

「高位中隔ペースングの概要と手術手技の実際」(安部治彦:編集・監修) DVD ビデオ.

日本メドトロニック株式会社 2006

3. 安部治彦, 須賀 幾, Hayes DL, Stanton M.

Recent Clinical Study in Cardiac Pacing. ICD.

CRM News. 2006; Vol. 37: 4-7.

4. 河野律子, 安部治彦, 北村拓朗, 鈴木秀明.

睡眠時無呼吸症候群に対する CPAP 治療の心機能及び心臓交感神経機能に及ぼす効果.

「厚生労働科学研究費補助金・労働安全衛生総合研究事業, 平成17年度研究報告書」

(安部治彦編集) 2006; 110-114.

5. 住吉正孝, 河野律子, 安部治彦.

排尿失神患者の臨床像と Head-Up Tilt 試験に対する反応.

「厚生労働科学研究費補助金・労働安全衛生総合研究事業, 平成17年度研究報告書」

(安部治彦編集) 2006; 31-34.

6. 住吉正孝, 河野律子, 安部治彦.

嚥下性失神の診断における負荷試験の有用性.

「厚生労働科学研究費補助金・労働安全衛生総合研究事業, 平成17年度研究報告書」

(安部治彦編集) 2006; 35-39.

7. 住吉正孝, 河野律子, 安部治彦.

神経調節性失神患者のアンケートによる予後調査: その特長と失神の再発および就労への影響.

厚生労働科学研究・平成18年度報告書「職場における心臓突然死や事故発生に及ぼす失神・睡眠障害の潜在危険因子の早期発見とその対策に関する総合的研究」(編集:安部治彦)

厚生労働省 2007; 21-33.

8. **安部治彦.**

「心室中隔植込み手術」(安部治彦 監修・編集) DVD ビデオ.
St. Jude Medical, Inc. 2007.

9. 中島 博, 内藤勝敏, 房野隆文, 島田裕司, 長谷川利次, **安部治彦**, 小田孝弘, 藤本 裕,
豊島 健.

植込み型デバイスの X 線干渉調査実験.

厚生労働科学研究・平成18年度報告書「職場における心臓突然死や事故発生に及ぼす失神・睡眠障害の潜在危険因子の早期発見とその対策に関する総合的研究」(編集:安部治彦)

厚生労働省 2007; 37-61.

10. 藤本 裕, 豊島 健, **安部治彦.**

職場でのペースメーカー/ICDの電磁干渉.

厚生労働科学研究・平成18年度報告書「職場における心臓突然死や事故発生に及ぼす失神・睡眠障害の潜在危険因子の早期発見とその対策に関する総合的研究」(編集:安部治彦)

厚生労働省 2007; 86-107.

11. 山之内良雄, 豊島 健, 藤本 裕, **安部治彦.**

高電圧交流電界がペースメーカーに及ぼす影響(最終報告).

厚生労働科学研究・平成18年度報告書「職場における心臓突然死や事故発生に及ぼす失神・睡眠障害の潜在危険因子の早期発見とその対策に関する総合的研究」(編集:安部治彦)

厚生労働省 2007; 108-113.

12. **河野律子, 安部治彦, 長友敏寿, 尾辻 豊.**

正常洞機能を有する房室ブロック患者での無症候性心房細動の発生頻度に関する検討.

厚生労働科学研究・平成18年度報告書「職場における心臓突然死や事故発生に及ぼす失神・睡眠障害の潜在危険因子の早期発見とその対策に関する総合的研究」(編集:安部治彦)

厚生労働省 2007; 114-117.

13. **河野律子, 安部治彦, 長友敏寿, 尾辻 豊.**

心室ペースング部位の違いによる血行動態の検討ー右室心尖部ペースングと右室流出路ペースングの検討ー

厚生労働科学研究・平成18年度報告書「職場における心臓突然死や事故発生に及ぼす失神・睡眠障害の潜在危険因子の早期発見とその対策に関する総合的研究」(編集:安部治彦)

厚生労働省 2007; 118-122.

14. **尾辻 豊.**

論文作成で得た感激 日本超音波医学会.

Jpn J Med Ultrasonics 2007; 34: 1-2.

15. **尾辻 豊.**

企画にあたって　いま，弁膜症にどう対処するか？

Heart View 2007; 11: 6-7.

16. **尾辻 豊.**

Clinical Practice 2007: Echocardiography 2007.

AHA Highlights 2007; 120-125.

17. **河野律子, 安部治彦.**

神経調節生失神：重症度に応じた治療法の選択

Mebio メディカルビュー社 2008; 25: 50-59.

18. **尾辻 豊.**

発想を変えて臨床を見た先輩達.

心臓 2008; 40 : 97-99